


STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

TRANSITION ALTITUDE
5000

TOWER 135.905
RADAR 127.905
ATIS 124.880 / TEL: +372 625 8210

LENNART MERI TALLINN (EETN)
RNAV (GNSS) STAR
RWY 26
DOBAN 1L DOPIK 1L GONOS 1L
KEMET 1L OSMUR 1L RENKU 1L SULUN 1L



NAV SPECIFICATION

RNAV 1 CAPABILITY REQUIRED. OTHERWISE INFORM ATC. AIRCRAFT UNABLE TO FOLLOW RNAV STAR WILL BE PROVIDED RADAR VECTORS FOR APPROACH.

DESCENT

DESCENT CLEARANCES WILL BE GIVEN SEPARATELY BY ATC. PLAN YOUR DESCENT TO PERFORM CONTINUOUS DESCENT APPROACH (CDA) FROM AT LEAST FL 100.

WPT CONSTRAINTS

ALT/FL/SPEED CONSTRAINTS MUST ALWAYS BE FOLLOWED, UNLESS CANCELLED BY ATC.

ROUTES

PROC DESCRIPTION AND CODING TABLES: REF AD 2.22.

SPEED LIMIT

WITHIN TALLINN TMA (BELOW FL 100) SPEED MAX 250 KT IAS.


COMM FAILURE

IN CASE OF RADIO COMMUNICATION FAILURE, SEE AD 2.22. AIRCRAFT HAVING TELEPHONE, CALL +372 6 258 254.

TEMPERATURE CORRECTION

TEMPERATURE CORRECTION IS ADDED TO MSA BY ATC IF GND TEMP FALLS BELOW -7° C.

SCALE 1:650 000



*DTG - distance to go (via STAR to THR)