

**Kontakt / Contact**

Address: Lennuliiklusteeninduse  
Aktisiaselts  
Lennuinfo osakond  
Kanali põik 3  
Rae küla, Rae vald  
10112 Harjumaa  
Estonia  
Tel: +372 625 8303  
AFS: EETNYOYX  
Email: [aip@eans.ee](mailto:aip@eans.ee)  
URL: [aim.eans.ee](http://aim.eans.ee)

**AIP Supplement for Estonia****AIP Lisa / AIP SUP**

**01/2021**  
**Kehtiv alates**  
**Effective from**  
**01 FEB 2021**  
**kuni / to 09 SEP 2021**  
**Avaldatud**  
**Published on**  
**26 JAN 2021**

**Pärnu lennuvälja rekonstrueerimistööd****Reconstruction Works at Pärnu Airport****1 Üldine**

See AIP Lisa täiendab järgmist AIP-i osa: AD 2 EEPU.

**1 General**

This AIP SUP supplements the following portion of the AIP:  
AD 2 EEPU.

**2 Periood**

Ehitustegevus toimub ajavahemikus **16. juuli 2020** kuni  
**9. august 2021**.

**2 Period**

Construction works are taking place from **16 JUL 2020** until  
**09 SEP 2021**.

**3 Eesmärk**

Pärnu lennuvälja liiklusala rekonstrueerimine.

**3 Purpose**

Reconstruction of Pärnu Airport movement area.

**4 Kirjeldus**

16. juulist 2020 kuni 9. septembrini 2021 toimuvad Pärnu lennuväljal (EEPU) liiklusala rekonstrueerimistööd, mille käigus rekonstrueeritakse lennurada ja perroon ning rajatakse neid ühendav ruleerimistee.

Alates 10. juulist 2020 on Pärnu lennuväli sertifikaadita.

Tankimine ja käitlemine ei ole saadaval.

Tuletõrjekategooria on 0.

**Alates 1. veebruarist 2021 ei osutata AFIS ja MET teenust.**

**4 Description**

From 16 JUL 2020 to 09 SEP 2021, reconstruction works are taking place at Pärnu Airport (EEPU), during which the RWY and apron will be reconstructed and a TWY to connect RWY and apron will be built.

From 10 JUL 2020, Pärnu Airport is uncertified.

Fuelling and handling are not available.

Fire fighting category is 0.

**From 01 FEB 2021 AFIS and MET service will not be provided.**

**5 Piirangud**

Punktis 2 toodud ajavahemikul ei ole Pärnu lennuväli lennutegevuseks kasutatav.

Rekonstrueerimise ajal ei ole lubatud sooritada madallähenemisi raja kohal.

Minimaalne lennukõrgus lennuvälja kohal on 500 FT AMSL.

**5 Restrictions**

During the period specified in point 2, Pärnu Airport is not usable for air operations.

Low approaches above the RWY are not permitted during reconstruction works.

The minimum flight altitude above the airport is 500 FT AMSL.

**6 Muu**

AIP Lisa võimalikud muudatused avaldatakse NOTAM-iga.

**6 Other**

Possible changes to AIP SUP shall be published by NOTAM.

**AIP SUP 09/2020 on tühistatud.**

**AIP SUP 09/2020 is cancelled.**

TÜHJAKS JÄETUD  
*PAGE INTENTIONALLY LEFT BLANK*